




625 SERIES (LIGHT APPLICATIONS)

FEATURE GRIP: REEDED WITH CENTER RING (RDD)

MOUNT: STRAIGHT (S)

MOUNT MATERIAL: BRASS (BR)



Product Description:

5/8" Tubular Round Reeded Grip with Center Ring, Finials and Straight Post Mounts in Brass

Material:

Brass

Finish Description:

US11, AGB Aged Brass; US5, ATB Antique Brass; US3, PLB Polished Brass; US4, SNB Satin Brass; US10B, ORB Oil Rubbed Bronze; US26, PLC Polished Chrome; US26D, SNC Satin Chrome; US14, PLN Polished Nickel; US15, SNN Satin Nickel; US19, MBK Matte Black PC; US10B, LTH Lithonia PC

Overall Length "A"	Center To Center "B"	Overall Diameter "C"
8"(203mm)	5 3/8"(137mm)	5/8"(16mm)
10"(254mm)	7 5/8"(194mm)	5/8"(16mm)
12"(305mm)	9 3/8"(238mm)	5/8"(16mm)






625 SERIES (LIGHT APPLICATIONS)

GRIP: REEDED (RDD)

MOUNT: STRAIGHT (S)

MOUNT MATERIAL: BRASS (BR)



Product Description:

5/8" Tubular Round Reeded Grip with Finials and Straight Post Mounts in Brass

Material:

Brass

Finish Description:

US11, AGB Aged Brass; US5, ATB Antique Brass; US3, PLB Polished Brass; US4, SNB Satin Brass; US10B, ORB Oil Rubbed Bronze; US26, PLC Polished Chrome; US26D, SNC Satin Chrome; US14, PLN Polished Nickel; US15, SNN Satin Nickel; US19, MBK Matte Black PC; US10B, LTH Lithonia PC

Overall Length "A"	Center To Center "B"	Overall Diameter "C"
8"(203mm)	5 1/4"(133mm)	5/8"(16mm)
10"(254mm)	7 1/4"(184mm)	5/8"(16mm)
12"(305mm)	9 1/4"(235mm)	5/8"(16mm)






625 SERIES (LIGHT APPLICATIONS)

GRIP: SMOOTH CENTER RING (SMT)

MOUNT: STRAIGHT (S)

MOUNT MATERIAL: BRASS (BR)





Product Description:

5/8" Tubular Round Smooth Grip with Center Ring, Finials and Straight Post Mounts in Brass

Material:

Brass

Finish Description:

US11, AGB Aged Brass; US5, ATB Antique Brass; US3, PLB Polished Brass; US4, SNB Satin Brass; US10B, ORB Oil Rubbed Bronze; US26, PLC Polished Chrome; US26D, SNC Satin Chrome; US14, PLN Polished Nickel; US15, SNN Satin Nickel; US19, MBK Matte Black PC; US10B, LTH Lithonia PC

Overall Length "A"	Center To Center "B"	Overall Diameter "C"
8"(203mm)	5 3/8"(137mm)	5/8"(16mm)
10"(254mm)	7 3/8"(187mm)	5/8"(16mm)
12"(305mm)	9 3/8"(238mm)	5/8"(16mm)




625 SERIES (LIGHT APPLICATIONS)


GRIP: SMOOTH (SMT)

MOUNT: STRAIGHT (S)

MOUNT MATERIAL: BRASS (BR)







Product Description:

5/8" Tubular Round Smooth Grip with Finials and Straight Post Mounts in Brass

Material:

Brass

Finish Description:

US11, AGB Aged Brass; US5, ATB Antique Brass; US3, PLB Polished Brass; US4, SNB Satin Brass; US10B, ORB Oil Rubbed Bronze; US26, PLC Polished Chrome; US26D, SNC Satin Chrome; US14, PLN Polished Nickel; US15, SNN Satin Nickel; US19, MBK Matte Black PC; US10B, LTH Lithonia PC

Overall Length "A"	Center To Center "B"	Overall Diameter "C"
8"(203mm)	5 1/4"(133mm)	5/8"(16mm)
10"(254mm)	7 1/4"(184mm)	5/8"(16mm)
12"(305mm)	9 1/4"(235mm)	5/8"(16mm)