

LAKE

LKE


LAKE 1

100 SERIES (MEDIUM APPLICATIONS)

GRIP: HARDWOOD

MOUNT: STRAIGHT (S)

MOUNT MATERIAL: BRASS (BR)



Product Description:

1" Solid Round Wood Grip with Wrap Around Straight Round Mounts

Material:

Grip - Hardwood  
Mount(s) - Brass

Finish Description:

Grip - Cherry, Bubinga, Ipe, Jatoba, Mahogany, White Oak, Teak, Black Walnut  
Mount(s) - US11, AGB Aged Brass; US5, ATB Antique Brass; US3, PLB Polished Brass; US4, SNB Satin Brass; US10B, ORB Oil Rubbed Bronze; US26, PLC Polished Chrome; US26D, SNC Satin Chrome; US14, PLN Polished Nickel; US15, SNN Satin Nickel; US19, MBK Matte Black PC; US10B, LTH Lithonia PC

Overall Length "A"	Center To Center "B"	Overall Diameter "C"
12"(305mm)	8"(203mm)	1"(25mm)
24"(610mm)	18"(457mm)	1"(25mm)
36"(914mm)	24"(610mm)	1"(25mm)
48"(1219mm)	36"(914mm)	1"(25mm)

Custom sizes & finishes available upon request.

Dimensions are approximate and provided for reference purposes only

LAKE

LKE


LAKE 2

150 SERIES (HEAVY APPLICATIONS)

GRIP: HARDWOOD

MOUNT: STRAIGHT (S)

MOUNT MATERIAL: BRASS (BR)



Product Description:

1 1/2" Solid Round Wood Grip with Wrap Around Straight Round Mounts

Material:

Grip - Hardwood  
Mount(s) - Brass

Finish Description:

Grip - Cherry, Bubinga, Ipe, Jatoba, Mahogany, White Oak, Teak, Black Walnut  
Mount(s) - US11, AGB Aged Brass; US5, ATB Antique Brass; US3, PLB Polished Brass; US4, SNB Satin Brass; US10B, ORB Oil Rubbed Bronze; US26, PLC Polished Chrome; US26D, SNC Satin Chrome; US14, PLN Polished Nickel; US15, SNN Satin Nickel; US19, MBK Matte Black PC; US10B, LTH Lithonia PC

Custom sizes & finishes available upon request.  
\*Recommended 3rd additional bracket for longer length.

Overall Length "A"	Center To Center "B"	Overall Diameter "C"
18"(457mm)	12"(305mm)	1 1/2"(38mm)
24"(610mm)	18"(457mm)	1 1/2"(38mm)
36"(914mm)	24"(610mm)	1 1/2"(38mm)
48"(1219mm)	36"(914mm)	1 1/2"(38mm)
60"(1524mm)	48"(1219mm)	1 1/2"(38mm)
72"(1829mm)	60"(1524mm)	1 1/2"(38mm)
84"(2134mm)	72"(1829mm)	1 1/2"(38mm)
*96"(2438mm)	72"(1829mm)	1 1/2"(38mm)

Dimensions are approximate and provided for reference purposes only

LAKE

LKE


LAKE 3

100 SERIES (MEDIUM APPLICATIONS)

GRIP: HARDWOOD

MOUNT: STRAIGHT (S)

MOUNT MATERIAL: STAINLESS STEEL 304 (S4)



**Product Description:**  
1" Solid Round Wood Grip, Wrap Around Straight Round Mounts

**Material:**  
Grip - Hardwood  
Mount(s) - Stainless Steel

**Finish Description:**  
Grip - Cherry, Bubinga, Ipe, Jatoba, Mahogany, White Oak, Teak, Black Walnut  
Mount(s) - US32D, BSS Brushed Stainless; US32, PSS Polished Stainless; US19, MBK Matte Black PC; US10B, LTH Lithonia PC

Overall Length "A"	Center To Center "B"	Overall Diameter "C"
12"(305mm)	8"(203mm)	1"(25mm)
24"(610mm)	18"(457mm)	1"(25mm)
36"(914mm)	24"(610mm)	1"(25mm)
48"(1219mm)	36"(914mm)	1"(25mm)

Custom sizes & finishes available upon request.

Dimensions are approximate and provided for reference purposes only

LAKE

LKE


LAKE 4

150 SERIES (HEAVY APPLICATIONS)

GRIP: HARDWOOD

MOUNT: STRAIGHT (S)

MOUNT MATERIAL: STAINLESS STEEL 304 (S4)



**Product Description:**  
1 1/2" Solid Round Wood Grip with Wrap Around Straight Round Mounts

**Material:**  
Grip - Hardwood  
Mount(s) - Stainless Steel

**Finish Description:**  
Grip - Cherry, Bubinga, Ipe, Jatoba, Mahogany, White Oak, Teak, Black Walnut  
Mount(s) - US32D, BSS Brushed Stainless; US32, PSS Polished Stainless; US19, MBK Matte Black PC; US10B, LTH Lithonia PC

Custom sizes & finishes available upon request.  
\*Recommended 3rd additional bracket for longer length.

Overall Length "A"	Center To Center "B"	Overall Diameter "C"
18"(457mm)	12"(305mm)	1 1/2"(38mm)
24"(610mm)	18"(457mm)	1 1/2"(38mm)
36"(914mm)	24"(610mm)	1 1/2"(38mm)
48"(1219mm)	36"(914mm)	1 1/2"(38mm)
60"(1524mm)	48"(1219mm)	1 1/2"(38mm)
72"(1829mm)	60"(1524mm)	1 1/2"(38mm)
84"(2134mm)	72"(1829mm)	1 1/2"(38mm)
*96"(2438mm)	72"(1829mm)	1 1/2"(38mm)

LAKE LKE


BAIRD 1

625 SERIES (LIGHT APPLICATIONS)

GRIP: HARDWOOD

MOUNT: STRAIGHT (S)

MOUNT MATERIAL: BRASS (BR)



**Product Description:**  
5/8" Solid Round Wood Grip with Wrap Around Straight Round Mounts

**Material:**  
Grip - Hardwood  
Mount(s) - Brass

**Finish Description:**  
Grip - Cherry, Bubinga, Ipe, Jatoba, Mahogany, White Oak, Teak, Black Walnut  
Mount(s) - US11, AGB Aged Brass; US5, ATB Antique Brass; US3, PLB Polished Brass; US4, SNB Satin Brass; US10B, ORB Oil Rubbed Bronze; US26, PLC Polished Chrome; US26D, SNC Satin Chrome; US14, PLN Polished Nickel; US15, SNN Satin Nickel; US19, MBK Matte Black PC; US10B, LTH Lithonia PC

Overall Length "A"	Center To Center "B"	Overall Diameter "C"
5"(127mm)	3"(76mm)	5/8"(16mm)
7"(178mm)	5"(127mm)	5/8"(16mm)
9"(279mm)	7"(179mm)	5/8"(16mm)
11"(279mm)	9"(229mm)	5/8"(16mm)
13"(330mm)	11"(279mm)	5/8"(16mm)
15"(381mm)	13"(330mm)	5/8"(16mm)

Custom sizes & finishes available upon request.

Dimensions are approximate and provided for reference purposes only

LAKE

LKE


LEWIS 3

150 SERIES (HEAVY APPLICATIONS)

GRIP: HARDWOOD

MOUNT: OFFSET (F)

MOUNT MATERIAL: ALUMINUM (AL)



**Product Description:**  
1 1/2" Solid Round Wood Grip with Wrap Around Offset Mounts

**Material:**  
Grip - Hardwood  
Mount(s) - Aluminum

**Finish Description:**  
Grip - Cherry, Bubinga, Ipe, Jatoba, Mahogany, White Oak, Teak, Black Walnut  
Mount(s) - US 28, BAL Brushed Aluminum, US19, MBK Matte Black PC; US10B, LTH Lithonia PC

Custom sizes & finishes available upon request.  
\*Recommended 3rd additional bracket for longer length.

Overall Length "A"	Center To Center "B"	Overall Diameter "C"
18"(457mm)	12"(305mm)	1 1/2"(38mm)
24"(610mm)	18"(457mm)	1 1/2"(38mm)
36"(914mm)	24"(610mm)	1 1/2"(38mm)
48"(1219mm)	36"(914mm)	1 1/2"(38mm)
60"(1524mm)	48"(1219mm)	1 1/2"(38mm)
72"(1829mm)	60"(1524mm)	1 1/2"(38mm)
84"(2134mm)	72"(1829mm)	1 1/2"(38mm)
*96"(2438mm)	72"(1829mm)	1 1/2"(38mm)

Dimensions are approximate and provided for reference purposes only

LAKE

LKE


LEWIS 3

150 SERIES (HEAVY APPLICATIONS)

GRIP: HARDWOOD

MOUNT: OFFSET (F)

MOUNT MATERIAL: STAINLESS STEEL 304 (S4)



**Product Description:**  
1 1/2" Solid Round Wood Grip with Wrap Around Offset Mounts

**Material:**  
Grip - Hardwood  
Mount(s) - Stainless Steel

**Finish Description:**  
Grip - Cherry, Bubinga, Ipe, Jatoba, Mahogany, White Oak, Teak, Black Walnut  
Mount(s) - US32D, BSS Brushed Stainless; US32, PSS Polished Stainless; US19, MBK Matte Black PC; US10B, LTH Lithonia PC

Custom sizes & finishes available upon request.  
\*Recommended 3rd additional bracket for longer length.

Overall Length "A"	Center To Center "B"	Overall Diameter "C"
18"(457mm)	12"(305mm)	1 1/2"(38mm)
24"(610mm)	18"(457mm)	1 1/2"(38mm)
36"(914mm)	24"(610mm)	1 1/2"(38mm)
48"(1219mm)	36"(914mm)	1 1/2"(38mm)
60"(1524mm)	48"(1219mm)	1 1/2"(38mm)
72"(1829mm)	60"(1524mm)	1 1/2"(38mm)
84"(2134mm)	72"(1829mm)	1 1/2"(38mm)
*96"(2438mm)	72"(1829mm)	1 1/2"(38mm)

Dimensions are approximate and provided for reference purposes only

LAKE

LKE


LEWIS 3

150 SERIES (HEAVY APPLICATIONS)

GRIP: HARDWOOD

MOUNT: OFFSET (F)

MOUNT MATERIAL: BRASS (BR)



**Product Description:**  
1 1/2" Solid Round Wood Grip with Wrap Around Offset Mounts

**Material:**  
Grip - Hardwood  
Mount(s) - Brass

**Finish Description:**  
Grip - Cherry, Bubinga, Ipe, Jatoba, Mahogany, White Oak, Teak, Black Walnut  
Mount(s) - US11, AGB Aged Brass; US5, ATB Antique Brass; US3, PLB Polished Brass; US4, SNB Satin Brass; US10B, ORB Oil Rubbed Bronze; US26, PLC Polished Chrome; US26D, SNC Satin Chrome; US14, PLN Polished Nickel; US15, SNN Satin Nickel; US19, MBK Matte Black PC; US10B, LTH Lithonia PC

Custom sizes & finishes available upon request.  
\*Recommended 3rd additional bracket for longer length.

Overall Length "A"	Center To Center "B"	Overall Diameter "C"
18"(457mm)	12"(305mm)	1 1/2"(38mm)
24"(610mm)	18"(457mm)	1 1/2"(38mm)
36"(914mm)	24"(610mm)	1 1/2"(38mm)
48"(1219mm)	36"(914mm)	1 1/2"(38mm)
60"(1524mm)	48"(1219mm)	1 1/2"(38mm)
72"(1829mm)	60"(1524mm)	1 1/2"(38mm)
84"(2134mm)	72"(1829mm)	1 1/2"(38mm)
*96"(2438mm)	72"(1829mm)	1 1/2"(38mm)

Dimensions are approximate and provided for reference purposes only