

PRYOR 1

PRY


PRYOR 1

HEAVY APPLICATION

GRIP: SMOOTH (SMT)

MOUNT: STRAIGHT (S)

MOUNT MATERIAL: STAINLESS STEEL 304 (S4)



Product Description:
5/8" Solid Rectangular Grip with Cutout in Stainless Steel

Material:
Stainless Steel

Finish Description:
US32D, BSS Brushed Stainless; US32, PSS Polished Stainless; US19, MBK Matte Black PC; US10B, LTH Lithonia PC


| Overall Length "A" | Center To Center "B" | Overall Diameter "C" |
|--------------------|----------------------|----------------------|
| 18"(457mm) | 12"(305mm) | 5/8"(16mm) |
| 24"(610mm) | 18"(457mm) | 5/8"(16mm) |
| 36"(914mm) | 24"(610mm) | 5/8"(16mm) |
| 48"(1219mm) | 36"(914mm) | 5/8"(16mm) |

Custom sizes & finishes available upon request.

PRYOR PRY

PRYOR 2

- HEAVY APPLICATION
- GRIP: SMOOTH (SMT)
- MOUNT: STRAIGHT (S)
- MOUNT MATERIAL: ALUMINUM (AL)



Product Description:
5/8" Solid Rectangular Grip with Cutout in Aluminum

Material:
Aluminum

Finish Description:
US 28, BAL Brushed Aluminum, US19, MBK Matte Black PC; US10B, LTH Lithonia PC

Custom sizes & finishes available upon request.

| Overall Length "A" | Center To Center "B" | Overall Diameter "C" |
|--------------------|----------------------|----------------------|
| 18"(457mm) | 12"(305mm) | 5/8"(16mm) |
| 24"(610mm) | 18"(457mm) | 5/8"(16mm) |
| 36"(914mm) | 24"(610mm) | 5/8"(16mm) |
| 48"(1219mm) | 36"(914mm) | 5/8"(16mm) |

PRYOR 1

PRY


PRYOR 3

HEAVY APPLICATIONS

GRIP: SMOOTH (SMT)

MOUNT: STRAIGHT (S)

MOUNT MATERIAL: BRASS (BR)



Product Description:
5/8" Solid Rectangular Grip with Cutout in Brass

Material:
Brass

Finish Description:
US11, AGB Aged Brass; US5, ATB Antique Brass; US3, PLB Polished Brass; US4, SNB Satin Brass; US10B, ORB Oil Rubbed Bronze; US26, PLC Polished Chrome; US26D, SNC Satin Chrome; US14, PLN Polished Nickel; US15, SNN Satin Nickel; US19, MBK Matte Black PC; US10B, LTH Lithonia PC

| Overall Length "A" | Center To Center "B" | Overall Diameter "C" |
|--------------------|----------------------|----------------------|
| 18"(457mm) | 12"(305mm) | 5/8"(16mm) |
| 24"(610mm) | 18"(457mm) | 5/8"(16mm) |
| 36"(914mm) | 24"(610mm) | 5/8"(16mm) |
| 48"(1219mm) | 36"(914mm) | 5/8"(16mm) |

Custom sizes & finishes available upon request.

Dimensions are approximate and provided for reference purposes only